

國立臺北大學 106 學年度學士班暨進修學士班轉學生招生考試試題

系別：統計學系 2、3 年級年級(學士班)

考試時間：80 分鐘

數位行銷進修學士學位學程 2、3 年級

第 1 頁，共 5 頁

科目：統計學

可 不可 使用計算機

一、選擇題(單選) (70%)

- (1). A numerical description of the outcome of an experiment is called a
- descriptive statistic
  - probability function
  - Variance
  - random variable
- (2). Twenty percent of the students in a class of 100 are planning to go to graduate school. The standard deviation of this binomial distribution is
- 20
  - 16
  - 4
  - 2
- (3). When dealing with the number of occurrences of an event over a specified interval of time or space and when the occurrence or nonoccurrence in any interval is independent of the occurrence or nonoccurrence in any other interval, the appropriate probability distribution is a
- binomial distribution
  - Poisson distribution
  - normal distribution
  - hypergeometric probability distribution
- (4). A standard normal distribution is a normal distribution
- with a mean of 1 and a standard deviation of 0
  - with a mean of 0 and a standard deviation of 1
  - with any mean and a standard deviation of 1
  - with any mean and any standard deviation
- (5). If  $P(A) = 0.4$ ,  $P(B | A) = 0.35$ ,  $P(A \cup B) = 0.69$ , then  $P(B) =$
- 0.14
  - 0.43
  - 0.75
  - 0.59
- (6). As the sample size becomes larger, the sampling distribution of the sample mean approaches a
- binomial distribution
  - Poisson distribution
  - normal distribution
  - chi-square distribution
- (7). A 95% confidence interval for a population mean is determined to be 100 to 120. If the confidence coefficient is reduced to 0.90, the interval for  $\mu$
- becomes narrower
  - becomes wider
  - does not change
  - becomes 0.1

國立臺北大學 106 學年度學士班暨進修學士班轉學生招生考試試題

系別：統計學系 2、3 年級年級(學士班)

考試時間：80 分鐘

數位行銷進修學士學位學程 2、3 年級

第 2 頁，共 5 頁

科目：統計學

可 不可 使用計算機

- (8). From a population that is normally distributed with an unknown standard deviation, a sample of 25 elements is selected. For the interval estimation of  $\mu$ , the proper distribution to use is the
- standard normal distribution
  - $z$  distribution
  - $t$  distribution with 26 degrees of freedom
  - $t$  distribution with 24 degrees of freedom
- (9). It is known that the population variance equals 484. With a 0.95 probability, the sample size that needs to be taken to estimate the population mean if the desired margin of error is 5 or less is
- 25
  - 74
  - 189
  - 75
- (10). The manager of an automobile dealership is considering a new bonus plan in order to increase sales. Currently, the mean sales rate per salesperson is five automobiles per month. The correct set of hypotheses for testing the effect of the bonus plan is
- $H_0: \mu < 5$   $H_a: \mu \leq 5$
  - $H_0: \mu \leq 5$   $H_a: \mu > 5$
  - $H_0: \mu > 5$   $H_a: \mu \leq 5$
  - $H_0: \mu \geq 5$   $H_a: \mu < 5$
- (11). When the  $p$ -value is used for hypothesis testing, the null hypothesis is rejected if
- $p\text{-value} \leq \alpha$
  - $\alpha \leq p\text{-value}$
  - $p\text{-value} \geq \alpha$
  - $p\text{-value} = \alpha$
- (12). If we are interested in testing whether the mean of population 1 is smaller than the mean of population 2, the
- null hypothesis should state  $\mu_1 - \mu_2 < 0$
  - null hypothesis should state  $\mu_1 - \mu_2 > 0$
  - alternative hypothesis should state  $\mu_1 - \mu_2 \geq 0$
  - None of the other answers is correct.
- (13). Below you are given a partial computer output based on a sample of 16 observations.

	Coefficient	Standard Error
Constant	12.924	4.425
$X_1$	-3.682	2.630
$X_2$	45.216	12.560

The estimated regression equation is

- $y = \beta_0 + \beta_1 x_1 + \beta_2 x_2 + \varepsilon$
- $E(y) = \beta_0 + \beta_1 x_1 + \beta_2 x_2 + \varepsilon$
- $\hat{y} = 12.924 - 3.682x_1 + 45.216x_2$
- $\hat{y} = 4.425 - 2.63x_1 + 12.56x_2$

國立臺北大學 106 學年度學士班暨進修學士班轉學生招生考試試題

系別：統計學系 2、3 年級年級(學士班)

考試時間：80 分鐘

數位行銷進修學士學位學程 2、3 年級

第 3 頁，共 5 頁

科目：統計學

可 不可 使用計算機

(14). The table below gives beverage preferences for random samples of teens and adults.

Beverage	Teens	Adults	Total
Coffee	50	200	250
Tea	100	150	250
Soft Drink	200	200	400
Other	50	50	100
	400	600	1,000

We are asked to test for independence between age (i.e., adult and teen) and drink preferences. The result of the test is that the

- hypothesis of independence can be rejected
- hypothesis of independence cannot be rejected
- test is inconclusive
- None of these alternatives is correct.

二、(15%)

The Ash Corporation wants to increase the productivity of its line workers. Four different programs have been suggested to help increase productivity. Twenty employees, making up a sample, have been randomly assigned to one of the four programs and their output from a day's work has been recorded. You are given the results (in units/day) and an ANOVA table with some missing entries below.

Program A	Program B	Program C	Program D
150	150	185	175
130	120	220	150
120	135	190	120
180	160	180	130
145	110	175	175

Source of Variation	Sum of Squares	df	Mean Square	F
Between	8750	--	--	--
Error	--	--	--	--
Total	16,350	--		

- State the null and alternative hypotheses.
- Fill in **all** the blanks in the above ANOVA table.
- At the 5% level of significance, test to see if there is a difference in the mean of productivity among the four programs.

三、(15%)

Below you are given a partial computer output based on a sample of 8 observations relating an independent variable ( $x$ ) and a dependent variable ( $y$ ).

	Coefficient	Standard Error
Intercept	13.251	10.77
$x$	0.803	0.385

ANOVA

	SS
Regression	
Error (Residual)	41.674
Total	71.875

- Develop the estimated regression equation.
- At  $\alpha = .05$ , test for the significance of the slope.
- Determine the coefficient of determination.

國立臺北大學 106 學年度學士班暨進修學士班轉學生招生考試試題

系別：統計學系 2、3 年級年級(學士班)

考試時間：80 分鐘

數位行銷進修學士學位學程 2、3 年級


第 4 頁，共 5 頁

科目：統計學

可 不可 使用計算機

表 1. 常態分配表

$$\Phi(z) = P(Z \leq z) = \int_{-\infty}^z \frac{1}{\sqrt{2\pi}} e^{-\frac{t^2}{2}} dt$$



z 的小數點第二位										
z	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
0.0	0.5000	0.5040	0.5080	0.5120	0.5160	0.5199	0.5239	0.5279	0.5319	0.5359
0.1	0.5398	0.5438	0.5478	0.5517	0.5557	0.5596	0.5636	0.5675	0.5714	0.5753
0.2	0.5793	0.5832	0.5871	0.5910	0.5948	0.5987	0.6026	0.6064	0.6103	0.6141
0.3	0.6179	0.6217	0.6255	0.6293	0.6331	0.6368	0.6406	0.6443	0.6480	0.6517
0.4	0.6554	0.6591	0.6628	0.6664	0.6700	0.6736	0.6772	0.6808	0.6844	0.6879
0.5	0.6915	0.6950	0.6985	0.7019	0.7054	0.7088	0.7123	0.7157	0.7190	0.7224
0.6	0.7257	0.7291	0.7324	0.7357	0.7389	0.7422	0.7454	0.7486	0.7517	0.7549
0.7	0.7580	0.7611	0.7642	0.7673	0.7704	0.7734	0.7764	0.7794	0.7823	0.7852
0.8	0.7881	0.7910	0.7939	0.7967	0.7995	0.8023	0.8051	0.8078	0.8106	0.8133
0.9	0.8159	0.8186	0.8212	0.8238	0.8264	0.8289	0.8315	0.8340	0.8365	0.8389
1.0	0.8413	0.8438	0.8461	0.8485	0.8508	0.8531	0.8554	0.8577	0.8599	0.8621
1.1	0.8645	0.8665	0.8686	0.8708	0.8729	0.8749	0.8770	0.8790	0.8810	0.8830
1.2	0.8849	0.8869	0.8888	0.8907	0.8925	0.8944	0.8962	0.8980	0.8997	0.9015
1.3	0.9032	0.9049	0.9066	0.9082	0.9099	0.9115	0.9131	0.9147	0.9162	0.9177
1.4	0.9192	0.9207	0.9222	0.9236	0.9251	0.9265	0.9279	0.9292	0.9306	0.9319
1.5	0.9332	0.9345	0.9357	0.9370	0.9382	0.9394	0.9406	0.9418	0.9429	0.9441
1.6	0.9452	0.9463	0.9474	0.9484	0.9495	0.9505	0.9515	0.9525	0.9535	0.9545
1.7	0.9554	0.9564	0.9573	0.9582	0.9591	0.9599	0.9608	0.9616	0.9625	0.9633
1.8	0.9641	0.9649	0.9656	0.9664	0.9671	0.9678	0.9686	0.9693	0.9699	0.9706
1.9	0.9713	0.9719	0.9726	0.9732	0.9738	0.9744	0.9750	0.9756	0.9761	0.9767
2.0	0.9772	0.9778	0.9783	0.9788	0.9793	0.9798	0.9803	0.9808	0.9812	0.9817
2.1	0.9821	0.9826	0.9830	0.9834	0.9838	0.9842	0.9846	0.9850	0.9854	0.9857
2.2	0.9861	0.9864	0.9868	0.9871	0.9875	0.9878	0.9881	0.9884	0.9887	0.9890
2.3	0.9893	0.9896	0.9898	0.9901	0.9904	0.9906	0.9909	0.9911	0.9913	0.9916
2.4	0.9918	0.9920	0.9922	0.9925	0.9927	0.9929	0.9931	0.9932	0.9934	0.9936
2.5	0.9938	0.9940	0.9941	0.9943	0.9945	0.9946	0.9948	0.9949	0.9951	0.9952
2.6	0.9953	0.9955	0.9956	0.9957	0.9959	0.9960	0.9961	0.9962	0.9963	0.9964
2.7	0.9965	0.9966	0.9967	0.9968	0.9969	0.9970	0.9971	0.9972	0.9973	0.9974
2.8	0.9974	0.9975	0.9976	0.9977	0.9977	0.9978	0.9979	0.9979	0.9980	0.9981
2.9	0.9981	0.9982	0.9982	0.9983	0.9984	0.9984	0.9985	0.9985	0.9986	0.9986
3.0	0.9987	0.9987	0.9987	0.9988	0.9988	0.9989	0.9989	0.9989	0.9990	0.9990
3.1	0.9990	0.9991	0.9991	0.9991	0.9992	0.9992	0.9992	0.9992	0.9993	0.9993
3.2	0.9993	0.9993	0.9994	0.9994	0.9994	0.9994	0.9994	0.9995	0.9995	0.9995
3.3	0.9995	0.9995	0.9995	0.9996	0.9996	0.9996	0.9996	0.9996	0.9996	0.9997
3.4	0.9997	0.9997	0.9997	0.9997	0.9997	0.9997	0.9997	0.9997	0.9997	0.9998
3.5	0.9998	0.9998	0.9998	0.9998	0.9998	0.9998	0.9998	0.9998	0.9998	0.9998
3.6	0.9998	0.9998	0.9999	0.9999	0.9999	0.9999	0.9999	0.9999	0.9999	0.9999
3.7	0.9999	0.9999	0.9999	0.9999	0.9999	0.9999	0.9999	0.9999	0.9999	0.9999
3.8	0.9999	0.9999	0.9999	0.9999	0.9999	0.9999	0.9999	0.9999	0.9999	0.9999
3.9	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
4.0	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000

表 2. 卡方分配表

$$P(\chi_k^2 \geq \chi_{k,\alpha}^2) = \alpha$$



自由度	單尾顯著水準							
	0.99	0.975	0.95	0.9	0.1	0.05	0.025	0.01
1	0.0002	0.0010	0.0039	0.0158	2.7055	3.8415	5.0239	6.6349
2	0.0201	0.0506	0.1026	0.2107	4.6052	5.9915	7.3778	9.2103
3	0.1148	0.2158	0.3518	0.5844	6.2514	7.8147	9.3484	11.3449
4	0.2971	0.4844	0.7107	1.0636	7.7794	9.4877	11.1433	13.2767
5	0.5543	0.8312	1.1455	1.6103	9.2364	11.0705	12.8325	15.0863
6	0.8721	1.2373	1.6354	2.2041	10.6446	12.5916	14.4494	16.8119
7	1.2390	1.6899	2.1674	2.8331	12.0170	14.0671	16.0128	18.4753
8	1.6465	2.1797	2.7326	3.4895	13.3616	15.5073	17.5346	20.0902
9	2.0879	2.7004	3.3251	4.1682	14.6837	16.9190	19.0228	21.6660
10	2.5582	3.2470	3.9403	4.8652	15.9872	18.3070	20.4831	23.2093
11	3.0535	3.8158	4.5748	5.5778	17.2750	19.6751	21.9200	24.7250
12	3.5706	4.4038	5.2260	6.3038	18.5494	21.0261	23.3367	26.2170
13	4.1069	5.0087	5.8919	7.0415	19.8119	22.3621	24.7356	27.6883
14	4.6604	5.6287	6.5706	7.7895	21.0642	23.6848	26.1190	29.1413
15	5.2294	6.2621	7.2609	8.5468	22.3072	24.9958	27.4884	30.5779
16	5.8122	6.9077	7.9616	9.3122	23.5418	26.2962	28.8454	31.9999
17	6.4078	7.5642	8.6718	10.0852	24.7690	27.5871	30.1910	33.4087
18	7.0149	8.2308	9.3905	10.8649	25.9894	28.8693	31.5264	34.8053
19	7.6327	8.9066	10.1170	11.6509	27.2036	30.1435	32.8523	36.1908
20	8.2604	9.5908	10.8508	12.4426	28.4120	31.4104	34.1696	37.5662
21	8.8972	10.2829	11.5913	13.2396	29.6151	32.6705	35.4789	38.9321
22	9.5425	10.9823	12.3380	14.0415	30.8133	33.9244	36.7807	40.2894
23	10.1957	11.6885	13.0905	14.8479	32.0069	35.1725	38.0757	41.6384
24	10.8564	12.4012	13.8484	15.6587	33.1963	36.4141	39.3641	42.9798
25	11.5240	13.1197	14.6114	16.4734	34.3816	37.6525	40.6465	44.3141
26	12.1981	13.8439	15.3791	17.2919	35.5631	38.8852	41.9232	45.6417
27	12.8786	14.5733	16.1513	18.1138	36.7412	40.1133	43.1944	46.9630
28	13.5648	15.3079	16.9279	18.9392	37.9159	41.3372	44.4607	48.2782
29	14.2565	16.0471	17.7083	19.7677	39.0875	42.5569	45.7222	49.5879
30	14.9535	16.7908	18.4926	20.5992	40.2560	43.7729	46.9792	50.8922
35	18.5089	20.5694	22.4650	24.7967	46.0588	49.8018	53.2033	57.3421
40	22.1643	24.4331	26.5093	29.0505	51.8050	55.7585	59.3417	63.6907
45	25.9013	28.3662	30.6123	33.3504	57.5053	61.6562	65.4102	69.9568
50	29.7067	32.3574	34.7642	37.6886	63.1671	67.5048	71.4202	76.1539
60	37.4849	40.4817	43.1879	46.4589	74.3970	79.0819	83.2976	88.3794
70	45.4418	48.7576	51.7393	55.3290	85.5271	90.5312	95.0231	100.4252
80	53.5400	57.1532	60.3915	64.2778	96.5782	101.8795	106.6286	112.3288
90	61.7541	65.6466	69.1260	73.2912	107.5650	113.1453	118.1359	124.1163
100	70.0648	74.2219	77.9295	82.3581	118.4980	124.3421	129.5612	135.8067
200	156.4320	162.7280	168.2786	174.8353	226.0210	233.9943	241.0579	249.4451
300	245.9725	253.9123	260.8781	269.0679	331.7885	341.3951	349.8745	359.9064
400	337.1553	346.4818	354.6410	364.2074	436.6490	447.6325	457.3055	468.7245
500	429.3875	439.9360	449.1468	459.9261	540.9303	553.1268	563.8515	576.4928

國立臺北大學 106 學年度學士班暨進修學士班轉學生招生考試試題

系別：統計學系 2、3 年級年級(學士班)

考試時間：80 分鐘

數位行銷進修學士學位學程 2、3 年級


第 5 頁，共 5 頁

科目：統計學

可 不可 使用計算機

表3. t分配表

$$P(t_k \geq t_{k,\alpha}) = \alpha$$




自由度	單尾顯著水準						
	0.1	0.05	0.025	0.01	0.005	0.0025	0.001
1	3.0777	6.3138	12.7062	31.8205	63.6567	127.3213	318.3088
2	1.8856	2.9200	4.3027	6.9646	9.9248	14.0890	22.3271
3	1.6377	2.3534	3.1824	4.5407	5.8409	7.4533	10.2145
4	1.5332	2.1318	2.7764	3.7469	4.6041	5.5976	7.1732
5	1.4759	2.0150	2.5706	3.3649	4.0321	4.7733	5.8934
6	1.4398	1.9432	2.4469	3.1427	3.7074	4.3168	5.2076
7	1.4149	1.8946	2.3646	2.9980	3.4995	4.0293	4.7853
8	1.3968	1.8595	2.3060	2.8965	3.3554	3.8325	4.5008
9	1.3830	1.8331	2.2622	2.8214	3.2498	3.6897	4.2968
10	1.3722	1.8125	2.2281	2.7638	3.1693	3.5814	4.1437
11	1.3634	1.7959	2.2010	2.7181	3.1058	3.4966	4.0247
12	1.3562	1.7823	2.1788	2.6810	3.0545	3.4284	3.9296
13	1.3502	1.7709	2.1604	2.6503	3.0123	3.3725	3.8520
14	1.3450	1.7613	2.1448	2.6245	2.9768	3.3257	3.7874
15	1.3406	1.7531	2.1314	2.6025	2.9467	3.2860	3.7328
16	1.3368	1.7459	2.1199	2.5835	2.9208	3.2520	3.6862
17	1.3334	1.7396	2.1098	2.5669	2.8982	3.2224	3.6458
18	1.3304	1.7341	2.1009	2.5524	2.8784	3.1966	3.6105
19	1.3278	1.7291	2.0930	2.5395	2.8609	3.1737	3.5794
20	1.3253	1.7247	2.0860	2.5280	2.8453	3.1534	3.5518
21	1.3232	1.7207	2.0796	2.5176	2.8314	3.1352	3.5272
22	1.3212	1.7171	2.0739	2.5083	2.8188	3.1188	3.5050
23	1.3195	1.7139	2.0687	2.4999	2.8073	3.1040	3.4850
24	1.3178	1.7109	2.0639	2.4922	2.7969	3.0905	3.4668
25	1.3163	1.7081	2.0595	2.4851	2.7874	3.0782	3.4502
26	1.3150	1.7056	2.0555	2.4786	2.7787	3.0669	3.4350
27	1.3137	1.7033	2.0518	2.4727	2.7707	3.0565	3.4210
28	1.3125	1.7011	2.0484	2.4671	2.7633	3.0469	3.4082
29	1.3114	1.6991	2.0452	2.4620	2.7564	3.0380	3.3962
30	1.3104	1.6973	2.0423	2.4573	2.7500	3.0298	3.3852
35	1.3062	1.6896	2.0301	2.4377	2.7238	2.9960	3.3400
40	1.3031	1.6839	2.0211	2.4233	2.7045	2.9712	3.3069
45	1.3006	1.6794	2.0141	2.4121	2.6896	2.9521	3.2815
50	1.2987	1.6759	2.0086	2.4033	2.6778	2.9370	3.2614
60	1.2958	1.6706	2.0003	2.3901	2.6603	2.9146	3.2317
70	1.2938	1.6669	1.9944	2.3808	2.6479	2.8987	3.2108
80	1.2922	1.6641	1.9901	2.3739	2.6387	2.8870	3.1953
90	1.2910	1.6620	1.9867	2.3685	2.6316	2.8779	3.1833
100	1.2901	1.6602	1.9840	2.3642	2.6259	2.8707	3.1737
200	1.2858	1.6525	1.9719	2.3451	2.6006	2.8385	3.1315
300	1.2844	1.6499	1.9679	2.3388	2.5923	2.8279	3.1176
400	1.2837	1.6487	1.9659	2.3357	2.5882	2.8227	3.1107
500	1.2832	1.6479	1.9647	2.3338	2.5857	2.8195	3.1066
600	1.2830	1.6474	1.9639	2.3326	2.5840	2.8175	3.1039
700	1.2828	1.6470	1.9634	2.3317	2.5829	2.8160	3.1019
800	1.2826	1.6468	1.9629	2.3310	2.5820	2.8148	3.1005
900	1.2825	1.6465	1.9626	2.3305	2.5813	2.8140	3.0993
1000	1.2824	1.6464	1.9623	2.3301	2.5808	2.8133	3.0984

表4. F分配表(續3)

$$(ii) \alpha = 0.05$$

$$P(F_{m,n} \geq F_{m,n,\alpha}) = \alpha$$



分子自由度 m

分母自由度 n

	分子自由度 m								
	1	2	3	4	5	6	7	8	9
1	161.448	199.500	215.707	224.583	230.162	233.986	236.768	238.883	240.543
2	18.5128	19.0000	19.1643	19.2468	19.2964	19.3295	19.3532	19.3710	19.3848
3	10.1280	9.5521	9.2766	9.1172	9.0135	8.9406	8.8867	8.8452	8.8123
4	7.7086	6.9443	6.5914	6.3882	6.2561	6.1631	6.0942	6.0410	5.9988
5	6.6079	5.7861	5.4095	5.1922	5.0503	4.9503	4.8759	4.8183	4.7725
6	5.9874	5.1433	4.7571	4.5337	4.3874	4.2839	4.2067	4.1468	4.0990
7	5.5914	4.7374	4.3468	4.1203	3.9715	3.8660	3.7870	3.7257	3.6767
8	5.3177	4.4590	4.0662	3.8379	3.6875	3.5806	3.5005	3.4381	3.3881
9	5.1174	4.2565	3.8625	3.6331	3.4817	3.3738	3.2927	3.2296	3.1789
10	4.9646	4.1028	3.7083	3.4780	3.3258	3.2172	3.1355	3.0717	3.0204
11	4.8443	3.9823	3.5874	3.3567	3.2039	3.0946	3.0123	2.9480	2.8962
12	4.7472	3.8853	3.4903	3.2592	3.1059	2.9961	2.9134	2.8486	2.7964
13	4.6672	3.8056	3.4105	3.1791	3.0254	2.9153	2.8321	2.7669	2.7144
14	4.6001	3.7389	3.3439	3.1122	2.9582	2.8477	2.7642	2.6987	2.6458
15	4.5431	3.6823	3.2874	3.0556	2.9013	2.7905	2.7066	2.6408	2.5876
16	4.4940	3.6337	3.2389	3.0069	2.8524	2.7413	2.6572	2.5911	2.5377
17	4.4513	3.5915	3.1968	2.9647	2.8100	2.6987	2.6143	2.5480	2.4943
18	4.4139	3.5546	3.1599	2.9277	2.7729	2.6613	2.5767	2.5102	2.4563
19	4.3807	3.5219	3.1274	2.8951	2.7401	2.6283	2.5435	2.4768	2.4227
20	4.3512	3.4928	3.0984	2.8661	2.7109	2.5990	2.5140	2.4471	2.3928
21	4.3248	3.4668	3.0725	2.8401	2.6848	2.5727	2.4876	2.4205	2.3660
22	4.3009	3.4434	3.0491	2.8167	2.6613	2.5491	2.4638	2.3965	2.3419
23	4.2793	3.4221	3.0280	2.7955	2.6400	2.5277	2.4422	2.3748	2.3201
24	4.2597	3.4028	3.0088	2.7763	2.6207	2.5082	2.4226	2.3551	2.3002
25	4.2417	3.3852	2.9912	2.7587	2.6030	2.4904	2.4047	2.3371	2.2821
26	4.2252	3.3690	2.9752	2.7426	2.5868	2.4741	2.3883	2.3205	2.2655
27	4.2100	3.3541	2.9604	2.7278	2.5719	2.4591	2.3732	2.3053	2.2501
28	4.1960	3.3404	2.9467	2.7141	2.5581	2.4453	2.3593	2.2913	2.2360
29	4.1830	3.3277	2.9340	2.7014	2.5454	2.4324	2.3463	2.2783	2.2229
30	4.1709	3.3158	2.9223	2.6896	2.5336	2.4205	2.3343	2.2662	2.2107
35	4.1213	3.2674	2.8742	2.6415	2.4851	2.3718	2.2852	2.2167	2.1608
40	4.0847	3.2317	2.8387	2.6060	2.4495	2.3359	2.2490	2.1802	2.1240
45	4.0566	3.2043	2.8115	2.5787	2.4221	2.3083	2.2212	2.1521	2.0958
50	4.0343	3.1826	2.7900	2.5572	2.4004	2.2864	2.1992	2.1299	2.0734
60	4.0012	3.1504	2.7581	2.5252	2.3683	2.2541	2.1665	2.0970	2.0401
70	3.9778	3.1277	2.7355	2.5027	2.3456	2.2312	2.1435	2.0737	2.0166
80	3.9604	3.1108	2.7188	2.4859	2.3287	2.2142	2.1263	2.0564	1.9991
90	3.9469	3.0977	2.7058	2.4729	2.3157	2.2011	2.1131	2.0430	1.9856
100	3.9361	3.0873	2.6955	2.4626	2.3053	2.1906	2.1025	2.0323	1.9748
120	3.9201	3.0718	2.6802	2.4472	2.2899	2.1750	2.0868	2.0164	1.9588